





UT Date 02/22/2024 Observers KS

File	Title	Filt	Exp	UT	RA	Dec	HA	Air	Prop	Bin	Comments
bias.2564	ring250	RV31	0	00:13	-01:00:00.0	-100:00:00	-00:00	1.00	calibratio n	2x3	2x3
bias.2565	ring250	RV31	0	00:14	-01:00:00.0	-100:00:00	-00:00	1.00	calibratio n	2x3	
bias.2566	ring250	RV31	0	00:14	-01:00:00.0	-100:00:00	-00:00	1.00	calibratio n	2x3	
bias.2567	ring250	RV31	0	00:14	-01:00:00.0	-100:00:00	-00:00	1.00	calibratio n	2x3	
bias.2568	ring250	RV31	0	00:15	-01:00:00.0	-100:00:00	-00:00	1.00	calibratio n	2x3	
bias.2569	ring250	RV31	0	00:15	-01:00:00.0	-100:00:00	-00:00	1.00	calibratio n	2x3	
bias.2570	ring250	RV31	0	00:15	-01:00:00.0	-100:00:00	-00:00	1.00	calibratio n	2x3	
bias.2571	ring250	RV31	0	00:16	-01:00:00.0	-100:00:00	-00:00	1.00	calibratio n	2x3	
bias.2572	ring250	RV31	0	00:16	-01:00:00.0	-100:00:00	-00:00	1.00	calibratio n	2x3	
bias.2573	ring250	RV31	0	00:16	-01:00:00.0	-100:00:00	-00:00	1.00	calibratio n	2x3	
domeflat.2574	ring250	RV31	8	00:18	-01:00:00.0	-100:00:00	-00:00	1.00	calibratio n	2x3	RV31 2x3
domeflat.2575	ring250	RV31	8	00:19	-01:00:00.0	-100:00:00	-00:00	1.00	calibratio n	2x3	
domeflat.2576	ring250	RV31	8	00:20	-01:00:00.0	-100:00:00	-00:00	1.00	calibratio n	2x3	
domeflat.2577	ring250	RV31	8	00:20	-01:00:00.0	-100:00:00	-00:00	1.00	calibratio n	2x3	
domeflat.2578	ring250	RV31	8	00:21	-01:00:00.0	-100:00:00	-00:00	1.00	calibratio n	2x3	
domeflat.2579	ring250	RV31	8	00:21	-01:00:00.0	-100:00:00	-00:00	1.00	calibratio n	2x3	
domeflat.2580	ring250	RV31	8	00:22	-01:00:00.0	-100:00:00	-00:00	1.00	calibratio n	2x3	
comp.2581	ring250	RV31	150	00:23	-01:00:00.0	-100:00:00	-00:00	1.00	calibratio n	2x3	
comp.2582	ring250	RV31	150	00:26	-01:00:00.0	-100:00:00	-00:00	1.00	calibratio n	2x3	
comp.2583	ring250	RV31	150	00:29	-01:00:00.0	-100:00:00	-00:00	1.00	calibratio n	2x3	



UT Date 02/22/2024 Observers KS

File	Title	Filt	Exp	UT	RA	Dec	HA	Air	Prop	Bin	Comments
bias.2584	ring250	RV31	0	00:33	-01:00:00.0	-100:00:00	-00:00	1.00	calibratio n	1x1	1x1
bias.2585	ring250	RV31	0	00:34	-01:00:00.0	-100:00:00	-00:00	1.00	calibratio n	1x1	
bias.2586	ring250	RV31	0	00:35	-01:00:00.0	-100:00:00	-00:00	1.00	calibratio n	1x1	
bias.2587	ring250	RV31	0	00:36	-01:00:00.0	-100:00:00	-00:00	1.00	calibratio n	1x1	
bias.2588	ring250	RV31	0	00:37	-01:00:00.0	-100:00:00	-00:00	1.00	calibratio n	1x1	
bias.2589	ring250	RV31	0	00:38	-01:00:00.0	-100:00:00	-00:00	1.00	calibratio n	1x1	
bias.2590	ring250	RV31	0	00:39	-01:00:00.0	-100:00:00	-00:00	1.00	calibratio n	1x1	
bias.2591	ring250	RV31	0	00:40	-01:00:00.0	-100:00:00	-00:00	1.00	calibratio n	1x1	
bias.2592	ring250	RV31	0	00:41	-01:00:00.0	-100:00:00	-00:00	1.00	calibratio n	1x1	
bias.2593	ring250	RV31	0	00:42	-01:00:00.0	-100:00:00	-00:00	1.00	calibratio n	1x1	
domeflat.2594	ring250	RV31	50	00:43	-01:00:00.0	-100:00:00	-00:00	1.00	calibratio n	1x1	RV31 1x1
domeflat.2595	ring250	RV31	50	00:45	-01:00:00.0	-100:00:00	-00:00	1.00	calibratio n	1x1	
domeflat.2596	ring250	RV31	50	00:47	-01:00:00.0	-100:00:00	-00:00	1.00	calibratio n	1x1	
domeflat.2597	ring250	RV31	50	00:49	-01:00:00.0	-100:00:00	-00:00	1.00	calibratio n	1x1	
domeflat.2598	ring250	RV31	50	00:51	-01:00:00.0	-100:00:00	-00:00	1.00	calibratio n	1x1	
domeflat.2599	ring250	RV31	50	00:53	-01:00:00.0	-100:00:00	-00:00	1.00	calibratio n	1x1	
domeflat.2600	ring250	RV31	50	00:55	-01:00:00.0	-100:00:00	-00:00	1.00	calibratio n	1x1	
comp.2601	ring250	RV31	300	00:58	-01:00:00.0	-100:00:00	-00:00	1.00	calibratio n	1x1	
comp.2602	ring250	RV31	300	01:03	-01:00:00.0	-100:00:00	-00:00	1.00	calibratio n	1x1	
comp.2603	ring250	RV31	300	01:10	-01:00:00.0	-100:00:00	-00:00	1.00	calibratio n	1x1	



UT Date 02/22/2024 Observers KS

File	Title	Filt	Exp	UT	RA	Dec	HA	Air	Prop	Bin	Comments
bias.2604	ring250	Ca41	0	01:18	-01:00:00.0	-100:00:00	-00:00	1.00	calibratio n	2x1	2x1
bias.2605	ring250	Ca41	0	01:19	-01:00:00.0	-100:00:00	-00:00	1.00	calibratio n	2x1	
bias.2606	ring250	Ca41	0	01:20	-01:00:00.0	-100:00:00	-00:00	1.00	calibratio n	2x1	
bias.2607	ring250	Ca41	0	01:20	-01:00:00.0	-100:00:00	-00:00	1.00	calibratio n	2x1	
bias.2608	ring250	Ca41	0	01:21	-01:00:00.0	-100:00:00	-00:00	1.00	calibratio n	2x1	
bias.2609	ring250	Ca41	0	01:22	-01:00:00.0	-100:00:00	-00:00	1.00	calibratio n	2x1	
bias.2610	ring250	Ca41	0	01:22	-01:00:00.0	-100:00:00	-00:00	1.00	calibratio n	2x1	
bias.2611	ring250	Ca41	0	01:23	-01:00:00.0	-100:00:00	-00:00	1.00	calibratio n	2x1	
bias.2612	ring250	Ca41	0	01:24	-01:00:00.0	-100:00:00	-00:00	1.00	calibratio n	2x1	
bias.2613	ring250	Ca41	0	01:24	-01:00:00.0	-100:00:00	-00:00	1.00	calibratio n	2x1	
domeflat.2614	ring250	Ca41	200	01:26	-01:00:00.0	-100:00:00	-00:00	1.00	calibratio n	2x1	Ca41 2x1
domeflat.2615	ring250	Ca41	200	01:30	-01:00:00.0	-100:00:00	-00:00	1.00	calibratio n	2x1	
domeflat.2616	ring250	Ca41	200	01:34	-01:00:00.0	-100:00:00	-00:00	1.00	calibratio n	2x1	
domeflat.2617	ring250	Ca41	200	01:38	-01:00:00.0	-100:00:00	-00:00	1.00	calibratio n	2x1	
domeflat.2618	ring250	Ca41	200	01:42	-01:00:00.0	-100:00:00	-00:00	1.00	calibratio n	2x1	
domeflat.2619	ring250	Ca41	200	01:47	-01:00:00.0	-100:00:00	-00:00	1.00	calibratio n	2x1	
domeflat.2620	ring250	Ca41	200	01:51	-01:00:00.0	-100:00:00	-00:00	1.00	calibratio n	2x1	
comp.2621	ring250	Ca41	250	01:55	-01:00:00.0	-100:00:00	-00:00	1.00	calibratio n	2x1	
comp.2622	ring250	Ca41	250	02:00	-01:00:00.0	-100:00:00	-00:00	1.00	calibratio n	2x1	
comp.2623	ring250	Ca41	250	02:05	-01:00:00.0	-100:00:00	-00:00	1.00	calibratio n	2x1	